

SHORT COMMENTARY

‘Seconds save lives – clean your hands’: the 5 May 2021 World Health Organization’s *SAVE LIVES: Clean Your Hands* campaign

Benedetta Allegranzi<sup>1</sup>, Ermira Tartari<sup>1,2,3</sup> and Didier Pittet<sup>3\*</sup>

<sup>1</sup>Infection Prevention and Control Technical and Clinical Hub, Department of Integrated Health Services, World Health Organization (WHO), Geneva, Switzerland; <sup>2</sup>Faculty of Health Sciences, University of Malta, Malta; <sup>3</sup>Infection Control Programme, University of Geneva Hospitals and Faculty of Medicine, Geneva, Switzerland

**Comment:** The authors alone are responsible for the views expressed in this article. It does not necessarily represent the views, decisions or policies of the institutions with which they are affiliated.

**Keywords:** *hand hygiene; point of care; infection prevention and control; World Health Organization; healthcare-associated infection; public health; global health; policy-making; alcohol-based handrub; hand sanitizer*

The year 2020 was unprecedented in many ways, one of which was the tremendous attention given to appropriate hand hygiene practices in the fight against SARS-CoV-2. Hand hygiene has finally gained global recognition from policy-makers, health managers, healthcare workers and the general public as a keystone in infection prevention. The World Health Organization (WHO) placed increased focus on hand hygiene in the context of the global COVID-19 pandemic, in addition to its longstanding efforts through both the global *SAVE LIVES: Clean Your Hands* campaign and the Water, Sanitation and Hygiene (WASH) Programme.

In the context of the pandemic, the WHO launched several initiatives, including the new WHO and UNICEF Hand Hygiene for All initiative ([https://www.who.int/water\\_sanitation\\_health/sanitation-waste/sanitation/hand-hygiene-for-all/en/](https://www.who.int/water_sanitation_health/sanitation-waste/sanitation/hand-hygiene-for-all/en/)) to consistently improve hand hygiene practices as a whole-of-society approach to stop the spread of SARS-CoV-2 and sustain good practices beyond the pandemic. To achieve these goals, adequate infrastructures should be provided in healthcare and public settings, including schools and public transportations, and appropriate behaviour to clean hands when needed should be taken by all key players.

This year, the WHO’s *SAVE LIVES: Clean Your Hands* campaign focuses on achieving appropriate hand hygiene action at the point of care. This has been at the core of WHO patient safety strategies during healthcare delivery for many years, but is now more critical than ever.

Furthermore, 2021 has been designated as the International Year of Health and Care Workers (<https://www.who.int/campaigns/annual-theme/year-of-health-and-care-workers-2021>); focusing on their protection is also paramount.

The first prerequisite for the effective implementation of hand hygiene action at the point of care is ‘system change’ meaning that the appropriate infrastructure and supplies should be available at the point of care so that health workers can clean their hands promptly when needed. This requires reliable and uninterrupted provision of good-quality alcohol-based handrub (ABHR), supplies of clean water, soap, single-use towels and an adequate number of functioning sinks. Although effective infection prevention and control (IPC) programmes in healthcare facilities should meet the WHO’s minimum requirements (1), the 2020 global WASH report revealed that one in three facilities does not have adequate hand hygiene stations at the point of care (2). A recent systematic review showed that hand hygiene compliance is only around 9% during the care of critically ill patients in low-income countries (3); such shocking data, in conjunction with the ongoing COVID-19 pandemic, highlight the urgent need for additional efforts to strengthen global compliance and champion best practices. Although vaccines are starting to be delivered, hand hygiene and appropriate use of personal protective equipment remain crucial for the safe care of both COVID-19 and non-COVID-19 patients.

Effective hand hygiene not only reduces the burden of healthcare-associated infections and the spread of antimicrobial resistance but is also a key IPC measure for safe COVID-19 vaccination (4). ABHR is the preferred method for hand hygiene in healthcare as it can be easily accessible at the point of care, kills microorganisms quickly (within 20–30 sec) and is well tolerated by the skin. These advantages can help to overcome behavioural barriers to compliance. In the light of current shortages, many countries have successfully established local ABHR

production as a low-cost alternative within facilities, using the WHO-recommended formulations (5).

To highlight the urgent need to save lives by implementing best practices in healthcare delivery, the slogan for 5 May 2021 is ‘Seconds save lives – clean your hands’ (Fig. 1). The WHO campaign calls to action key stakeholders (Table 1) who can play critical roles in achieving optimal hand hygiene at the point of care, in both the current situation and a broader sense, helping to strengthen the society involvement as promoted by the Hand Hygiene for All initiative.



© WHO 2020. Some rights reserved. This work is available under the CC BY-NC-SA 3.0 IGO licence.

Fig. 1. 5 May 2021: ‘Seconds save lives – clean your hands’.

**Table 1.** 5 May 2021 WHO SAVE LIVES: Clean Your Hands campaign calls to action

Campaign participants	Call to action
Healthcare workers	'Now more than ever, clean your hands at the point of care*'
Infection prevention and control practitioners	'Champion and mentor clean hands at the point of care'
Facility managers	'Ensure hand hygiene supplies are available at every point of care'
Policy-makers	'Invest now to ensure hand hygiene for all'
Patients and families	'Help us to help you: please clean your hands'
Vaccinators	'Clean your hands with every vaccine'
General public	'Make clean hands your habit – it protects us all'

All the information is available on the WHO SAVE LIVES: Clean Your Hands campaign webpage (<https://www.who.int/campaigns/save-lives-clean-your-hands>), including an advocacy toolkit offering guidance on the campaign's objectives, key messages and how to get involved.

\*Point of care refers to the to the place where three elements come together: the patient, the healthcare worker and care or treatment involving contact with the patient or their surroundings (as published in the WHO guidelines on hand hygiene in healthcare).

### Conflict of interest and funding

This work was supported by the World Health Organization (WHO), Geneva, Switzerland, and the Infection Control Program, University of Geneva Hospitals and Faculty of Medicine, Geneva, Switzerland. Hand hygiene research activities at the SPCI/WCC were

supported by the Swiss National Science Foundation (grant number 32003B\_163262).

### References

1. WHO. Minimum requirements for infection prevention and control programmes. Geneva: World Health Organization; 2019. Available from: <https://apps.who.int/iris/handle/10665/330080> [cited 9 February 2021].
2. WHO. Global progress report on WASH in health care facilities: fundamentals first. Geneva: World Health Organization; 2020. Available from: <https://www.who.int/publications/i/item/9789240017542> [cited 9 February 2021].
3. Lambe KA, Lydon S, Madden C, Vellinga A, Hehir A, Walsh M, et al. Hand hygiene compliance in the ICU: a systematic review. *Critical Care Med* 2019; 47: 1251–7. doi: 10.1097/CCM.0000000000003868
4. WHO. Aide memoire: infection prevention and control (IPC) principles and procedures for COVID-19 vaccination activities. Geneva: World Health Organization; 2021. Available from: <https://www.who.int/publications/i/item/who-2019-ncov-vaccination-IPC-2021-1> [cited 9 February 2021].
5. WHO. Guide to local production: WHO-recommended handrub formulations. Geneva: World Health Organization; 2010. Available from: <https://www.who.int/publications/i/item/WHO-IER-PSP-2010.5> [cited 9 February 2021].

### \*Didier Pittet

Infection Control Program  
University of Geneva Hospitals and Faculty of Medicine  
Gabrielle-Perret-Gentil 4  
1205 Geneva, Switzerland  
Email: [didier.pittet@hcuge.ch](mailto:didier.pittet@hcuge.ch)